

Handbook of AUSTRALIAN, NEW ZEALAND & ANTARCTIC BIRDS

Volume 7 Boatbill to Starlings
Part B Dunnock to Starlings

Senior Editors

P.J. Higgins, J.M. Peter and S.J. Cowling

Assistant Editor

G.D. Price

Editors

K.Y. Al-Dabbagh	M.J. Hewish
K.A. Bartram	T. Howard
S.A. Chambers	J.B. Hurley
A.J. Dare	J.S. Matthew
A.M. Dunn	R.N. Price
D.W. Eades	J.L. O'Connor
C.B. Frith	J.R. Starks
D.W. Frith	A. Williamson
H.M. Gibbs	

Colour illustrations by P.R. Marsack, N. Day, K. Franklin,
P.J. Slater, J. Luck and D.J. Onley

OXFORD

UNIVERSITY PRESS

253 Normanby Road, South Melbourne, Victoria 3205, Australia

Oxford University Press is a department of the University of Oxford.

It furthers the University's objective of excellence in research, scholarship, and education by publishing worldwide in

Oxford New York

Athens Auckland Bangkok Bogotá Buenos Aires Calcutta

Cape Town Chennai Dar es Salaam Delhi Florence Hong Kong Istanbul

Karachi Kuala Lumpur Madrid Melbourne Mexico City Mumbai Nairobi

Paris Port Moresby São Paulo Singapore Taipei Tokyo Toronto Warsaw

with associated companies in Berlin Ibadan

OXFORD is a registered trade mark of Oxford University Press
in the UK and certain other countries

© Birds Australia (Royal Australasian Ornithologists Union) 2006

Colour illustrations © P.R. Marsack, N. Day, K. Franklin, P.J. Slater, J. Luck
and D.J. Onley 2006

First published 2006

This book is copyright. Apart from any fair dealing for the purposes of private study, research, criticism or review as permitted under the Copyright Act, no part may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior written permission.
Enquiries to be made to Oxford University Press.

Copying for educational purposes

Where copies of part or the whole of the book are made under Part VB of the Copyright Act, the law requires that prescribed procedures be followed. For information, contact the Copyright Agency Limited.

Recommended citation

Higgins, P.J., J.M. Peter & S.J. Cowling. (Eds) 2006. *Handbook of Australian, New Zealand and Antarctic Birds. Volume 7: Boatbill to Starlings.*
Oxford University Press, Melbourne.

National Library of Australia

Cataloguing-in-Publication data:

Handbook of Australian, New Zealand and Antarctic birds.

Volume 7.

Includes index.

Bibliography.

ISBN-10: 0 195 53996 6 (volume 7 set)

ISBN-13: 978 0 195 53996 7 (volume 7 set)

ISBN-10: 0 195 55884 7 (volume 7A)

ISBN-13: 978 0 195 55884 5 (volume 7A)

ISBN-10: 0 195 55885 5 (volume 7B)

ISBN-13: 978 0 195 55885 2 (volume 7B)

ISBN-10: 0 195 53244 9 (complete set)

ISBN-13: 978 0 195 53244 9 (complete set)

1. Birds—Australia.

2. Birds—New Zealand.

3. Birds—Antarctica.

I. Higgins, P. J. (Peter Jeffrey), 1959-. II. Peter, John M.

III. Cowling, Sidney J. IV. Title: Boatbill to starlings.

598

Edited by Venetia Somerset

Designed and typeset by Derrick I. Stone Design, Melbourne

Printed in Hong Kong by Sheck Wah Tong Printing Press Ltd

APPENDIX I

ECTOPARASITES OF AUSTRALIAN, NEW ZEALAND AND ANTARCTIC BIRDS

M.D. Murray^A, R.L. Palma^B, R.L.C. Pilgrim^C and M.D. Shaw^D

INTRODUCTION

This is the final unit of the checklist covering passerines. The format is the same as previously. Again, many lice have only been identified to genus, and some mites only to the nearest genus (*). Often only immature ticks infest passerines; such infestations are shown as larval (L) or nymphal (N).

Table 1 lists the genera of lice of the families of the passerines, covering the checklists of volumes 5–7 of HANZAB.

The birds in this checklist pose problems where they have extensive geographical distributions which influence the species of fleas, ticks and mites that may infest them.

Several species of birds have a close association with humans who become bitten by mites when fledglings leave nests in buildings. One common example of this is the problem caused by *Ornithonyssus bursa* when chicks of Common Starlings *Sturnus vulgaris* or Common Mynas *Acridotheres tristis* fledge. Other mites cause disease of both aviary and wild birds. *Sternostoma tracheacolum* causes respiratory problems in aviary Gouldian Finches *Erythrura gouldiae*; this disease also causes additional stress in already depleted wild populations of Gouldian Finches. *Knemidokoptes intermedius* infests the lower legs and feet of wild Pied Currawongs *Strepera graculina* and Forest Ravens *Corvus tasmanicus*.

Several of the passerines have been introduced to Aust. or NZ from Europe or elsewhere. Some lice species are absent because they were not on the birds originally introduced, a phenomenon referred to as 'missing the boat'. Thus, fewer species of lice are found on Rook *Corvus frugilegus*, Dunnock *Prunella modularis*, House Sparrow *Passer domesticus*, Common Blackbird *Turdus merula*, Song Thrush *Turdus philomelos* and Common Starling in NZ than on these birds in Europe.

There is an alarming decrease in the numbers of native passerines as land clearances continue, particularly in Aust.,

and the subsequent increasing predation by introduced pests. The future welfare of bird species is threatened, and their extinction means the extinction of some of their ectoparasites, as has been emphasized throughout this series. There is an urgent need to search birds for their ectoparasites before it is too late.

SELECTED BIBLIOGRAPHY

LICE

- Green, R.H., & R.L. Palma. 1991. Rec. Queen Vict. Mus. 100: 1–43.
 Mey, E. 2000. Rudolstädter Naturhistorische Schriften 10: 185–200.
 Palma, R.L. 1999. Notornis 46: 373–87.
 —, & R.D. Price. NZ J. Zool. 32: 111–5.
 —, & S.C. Barker. 1996. Zool. Cat. Aust. 26: 81–247.
 Mey, E. 2004. Ornithol. Anzeiger 43: 149–203.
 Paterson, A.M., et al. 1999. Syst. Biol. 48(1): 214–23.
 Pilgrim, R.L.C., & R.L. Palma. 1982. Notornis (Suppl.) 29: 32.
 Stranger, R.H., & R.L. Palma. 1998. Rec. West. Aust. Mus. 19: 169–86.

FLEAS

- Calder, A.A. 1996. Zool. Cat. Aust. 28: 136–97.
 Smit, F.G.A.M. 1979. J. R. Soc. NZ 9: 143–232.

LOUSE-FLIES

- Maa, T.C. 1966. Pac. Insects Monogr. 10: 1–148.
 — 1969. Pac. Insects Monogr. 20: 1–312.
 — 1986. J. Taiwan Mus. 39: 83–92.

MITES

- Bell, P.J. 1996. Wildl. Res. 23: 675–85.
 Bishop, D.M., & A.C.G. Heath. 1998. Surveillance 25: 13–31.
 Domrow, R. 1987. Invert. Taxonomy 1: 817–948.
 — 1991. Invert. Taxonomy 4: 1283–376.
 — 1992. Invert. Taxonomy 6: 1459–606.
 —, & L.N. Lester. 1985. Aust. J. Zool. Suppl. Ser. 114: 1–111.
 Jaensch, S.M., et al. 2003. Aust. Vet. J. 81: 411.
 Mason, R.W. 1988. Aust. Vet. J. 65: 260.
 Murray, M.D. 1966. Aust. Vet. J. 42: 262–4.
 Tidemann, S.C. 1996. Bird Conserv. Int. 6: 49–61.

TICKS

- Keirans, J.E. 1984. US Dept Agric. Misc. Publ. 1438: 1785.
 Roberts, F.H.S. 1970. Australian Ticks. CSIRO Publs, Melbourne.

- ^A 17 Ashmore Ave, Pymble, New South Wales 2073, Australia
^B Museum of New Zealand, PO Box 467, Wellington, New Zealand
^C Department of Zoology, University of Canterbury, Christchurch 1, New Zealand
^D School of Integrated Biology, University of Queensland, St Lucia, Queensland 4072, Australia

CHECKLIST OF ECTOPARASITES

Family DICRURIDAE

Monarcha melanopsis

- LICE: *Brueelia* sp.
 MITES: *Ptilonyssus terpsiphonei* Fain, 1956

Monarcha trivirgatus

- MITES: *Leptotrombidium nissani* (Dumbleton, 1947).
Ptilonyssus monarchae Domrow, 1969
Ptilonyssus terpsiphonei Fain, 1956
Ruandanysus terpsiphonei Fain, 1957
Sternostoma cuculorum Fain, 1956

Monarcha leucotis

- MITES: *Ptilonyssus terpsiphonei* Fain, 1956

Arses telescopthalmus

- MITES: *Leptotrombidium nissani* (Dumbleton, 1947)

Arses kaupi

- MITES: *Ptilonyssus terpsiphonei* Fain, 1956

- Sternostoma cuculorum* Fain, 1956

Myiagra rubecula

- MITES: *Leptotrombidium nissani* (Dumbleton, 1947)
Ptilonyssus terpsiphonei Fain, 1956

- Ruandanysus terpsiphonei* Fain, 1957
Sternostoma cuculorum Fain, 1956

Myiagra alecto

- MITES: *Ptilonyssus terpsiphonei* Fain, 1956

Myiagra inquieta

- MITES: *Ptilonyssus terpsiphonei* Fain, 1956

Grallina cyanoleuca

- LICE: *Myrsidea* sp.
Brueelia sp.
Philopterus sp.

- MITES: *Megninia acutipes* (Bonnet, 1924)
Neotidigales grallinae Janssen Duijghuijsen, Lukoschus & Fain, 1979
Ornithocheyletia lichmerae Smiley, 1984
Ornithonyssus sylviarum (Canestrini & Fanzago, 1877)
Ptilonyssus grallinae Domrow, 1964

Rhipidura rufifrons

- MITES: *Ptilonyssus setosae* Domrow, 1969

Rhipidura fuliginosa

- LICE: *Menacanthus rhipidurae* Palma & Price, 2005
Ricinus mugimaki (Uchida, 1915)
Philopterus sp.

LOUSE-FLIES:	<i>Ornithoica stipituri stipituri</i> (Schiner, 1868)	TICKS:	<i>Ixodes holocyclus</i> Neumann, 1899
	<i>Ornithomya areolata</i> Maa, 1986	Strepera graculina	
	<i>Ornithomya nigricornis</i> Erichson, 1842	LICE:	<i>Myrsidea vincula</i> (Le Souef & Bullen, 1902)
MITES:	<i>Ptilonyssus rhipidurae</i> Domrow, 1966	MITES:	<i>Knemidokoptes intermedius</i> Fain & Macfarlane, 1967
	<i>Anhemidalges</i> sp.*		<i>Ptilonyssus cracticci</i> Domrow, 1964
	<i>Hemidalges</i> sp.	Strepera fuliginosa	
	<i>Ingrassiella</i> sp.	LICE:	<i>Myrsidea</i> sp.
	<i>Pteronyssoides</i> sp.		<i>Brueelia</i> sp.
	<i>Trouessartia</i> sp.		<i>Australophilopterus curvicornis</i> Mey, 2004
Rhipidura rufiventris		LOUSE-FLIES:	<i>Ornithomya nigricornis</i> Erichson, 1842
MITES:	<i>Ptilonyssus setosae</i> Domrow, 1969	TICKS:	<i>Ixodes</i> sp. (<i>auritulus</i> group)
Rhipidura leucophrys			<i>Ixodes</i> sp. (L)
LICE:	<i>Myrsidea</i> sp.	Strepera versicolor	
MITES:	<i>Ptilonyssus macclurei</i> Fain, 1963	LICE:	<i>Menacanthus dennisii</i> Price & Emerson, 1988
	<i>Sternostoma cuculorum</i> Fain, 1956		<i>Myrsidea</i> sp.
Dicrurus bracteatus			<i>Australophilopterus strepericus</i> Mey, 2004
MITES:	<i>Ptilonyssus dicruri</i> Fain, 1956		<i>Brueelia</i> sp.
Family CAMPEPHAGIDAE		LOUSE-FLIES:	<i>Ornithomya nigricornis</i> Erichson, 1842
Coracina novaehollandiae		Gymnorhina tibicen	
LICE:	<i>Myrsidea</i> sp.	LICE:	<i>Picicola bimaculatus</i> (Piaget, 1885)
	<i>Brueelia</i> sp.	MITES:	<i>Ornithonyssus bursa</i> (Berlese, 1888)
	<i>Philopterus goshikidori</i> (Uchida, 1948)		<i>Ptilonyssus cracticci</i> Domrow, 1964
MITES:	<i>Leptotrombidium nissani</i> (Dumbleton, 1947)		<i>Pterodectes</i> sp.
	<i>Odontocarus australiensis</i> (Hirst, 1925)		<i>Sternostoma thienpoti</i> Fain, 1956
	<i>Ruandanyssus terpsiphonei</i> Fain, 1957		<i>Syringophilopsis</i> sp. 4 Johnston & Kethley, 1973
Coracina papuensis		Gymnorhina tibicen tibicen, <i>Gymnorhina tibicen dorsalis</i>	
MITES:	<i>Leptotrombidium nissani</i> (Dumbleton, 1947)	LICE:	<i>Myrsidea</i> sp.
	<i>Ruandanyssus terpsiphonei</i> Fain, 1957		<i>Brueelia semiannulata</i> (Piaget, 1883)
Lalage sueurii		FLEAS:	<i>Philopterus</i> sp.
MITES:	<i>Boydala crassipes</i> (Berlese & Trouessart, 1889)		<i>Echidnophaga gallinacea</i> (Westwood, 1875)
	<i>Ptilonyssus cracticci</i> Domrow, 1964	TICKS:	<i>Ixodes holocyclus</i> Neumann, 1899
	<i>Ruandanyssus terpsiphonei</i> Fain, 1957		<i>Haemaphysalis longicornis</i> Neumann, 1901
Family ORIOLIDAE		Gymnorhina tibicen hypoleuca	
Oriolus flavocinctus		LICE:	<i>Myrsidea</i> sp.
MITES:	<i>Leptotrombidium nissani</i> (Dumbleton, 1947)		<i>Brueelia semiannulata</i> (Piaget, 1883)
	<i>Leptotrombidium robustum</i> (Gunther, 1941)	LOUSE-FLIES:	<i>Ornithoica stipituri stipituri</i> (Schiner, 1868)
	<i>Ptilonyssus trouessarti</i> (Hirst, 1921)		<i>Ornithomya nigricornis</i> Erichson, 1842
Oriolus sagittatus		Family CORVIDAE	
MITES:	<i>Neoschoengastia posekanyi</i> Wharton & Hardcastle, 1946	Corvus frugilegus	
	<i>Ptilonyssus trouessarti</i> (Hirst, 1921)	LICE:	<i>Colpocephalum fregili</i> Denny, 1842
Sphecotheres viridis		MITES:	<i>Analges</i> sp.
LICE:	<i>Columbicola paradoxus</i> Tendeiro, 1965		<i>Gabucinia</i> sp.
MITES:	<i>Ptilonyssus sphecotheres</i> Domrow, 1964	Corvus coronoides	
		LICE:	<i>Colpocephalum fregili</i> Denny, 1842
Family ARTAMIDAE			<i>Menacanthus gonophaeus</i> (Burmeister, 1838)
Artamus personatus			<i>Myrsidea australiensis australiensis</i> Klockenhoff, 1971
MITES:	<i>Ruandanyssus terpsiphonei</i> Fain, 1957		<i>Philopterus craigi</i> Price & Hellenthal, 1998
Artamus superciliosus		TICKS:	<i>Ixodes holocyclus</i> Neumann, 1899
MITES:	<i>Artamacarus diacanthurus</i> Gaud & Atyeo, 1974	Corvus tasmanicus	
Artamus cinereus		LICE:	<i>Colpocephalum fregili</i> Denny, 1842
MITES:	<i>Ruandanyssus artami</i> Domrow, 1969		<i>Menacanthus gonophaeus</i> (Burmeister, 1838)
Artamus cyanopterus			<i>Myrsidea australiensis australiensis</i> Klockenhoff, 1971
LICE:	<i>Menacanthus nelsoni</i> Price, 1976	LOUSE-FLIES:	<i>Philopterus dagleishi</i> Price & Hellenthal, 1998
MITES:	<i>Artamacarus diacanthurus</i> Gaud & Atyeo, 1974		<i>Ornithomya nigricornis</i> Erichson, 1842
	<i>Neochyletiella artami</i> Domrow, 1966	MITES:	<i>Knemidokoptes intermedius</i> Fain & Macfarlane, 1967
	<i>Ornithonyssus sylviarum</i> (Canestrini & Fanzago, 1877)	Corvus mellori	
Artamus minor		LICE:	<i>Colpocephalum fregili</i> Denny, 1842
MITES:	<i>Artamacarus diacanthurus</i> Gaud & Atyeo, 1974		<i>Menacanthus gonophaeus</i> (Burmeister, 1838)
	<i>Neoschoengastia americana</i> (Hirst, 1921)		<i>Myrsidea australiensis mellori</i> Klockenhoff, 1973
	<i>Ruandanyssus artami</i> Domrow, 1969	LOUSE-FLIES:	<i>Ornithomya nigricornis</i> Erichson, 1842
Cracticus quoyi		Corvus bennetti	
MITES:	<i>Leptotrombidium nissani</i> (Dumbleton, 1947)	LICE:	<i>Colpocephalum fregili</i> Denny, 1842
	<i>Ptilonyssus cracticci</i> Domrow, 1964		<i>Menacanthus gonophaeus</i> (Burmeister, 1838)
	<i>Sternostoma thienpoti</i> Fain, 1956		<i>Myrsidea australiensis bennetti</i> Klockenhoff, 1971
Cracticus torquatus			<i>Brueelia</i> sp.
MITES:	<i>Neoschoengastia posekanyi</i> Wharton & Hardcastle, 1946		<i>Philopterus craigi</i> Price & Hellenthal, 1998
	<i>Ptilonyssus cracticci</i> Domrow, 1964	Corvus orru	
TICKS:	<i>Ixodes</i> sp. (L)	LICE:	<i>Myrsidea cecilae</i> Klockenhoff, 1972
Cracticus mentalis			<i>Myrsidea schizotergum arafura</i> Klockenhoff, 1972
MITES:	<i>Ptilonyssus cracticci</i> Domrow, 1964		<i>Myrsidea schizotergum schizotergum</i> Klockenhoff, 1972
Cracticus nigrogularis		Family CORCORACIDAE	
MITES:	<i>Neoschoengastia posekanyi</i> Wharton & Hardcastle, 1946	Corcorax melanorhamphos	
	<i>Ptilonyssus cracticci</i> Domrow, 1964	LICE:	<i>Menacanthus</i> sp.
	<i>Sternostoma thienpoti</i> Fain, 1956		<i>Myrsidea</i> sp.

1958 Appendix I

MITES:	<i>Brueelia</i> sp.	FLEAS: <i>Ceratophyllus gallinace</i> (Schrank, 1803)
	<i>Corcorides inopinatus</i> Mey, 2004	LOUSE-FLIES: <i>Ornithoica stipituri stipituri</i> (Schiner, 1868)
	<i>Paraphilopterus styloideus</i> Mey, 2004	<i>Ornithomya areolata</i> Maa, 1986
MITES:	<i>Ptilonyssus corcoracis</i> Domrow, 1969	<i>Ornithomya nigricornis</i> Erichson, 1842
Struthidea cinerea		<i>Ornithomya variegata</i> Bigot, 1885
LICE:	<i>Myrsidea cinerea</i> (Thompson, 1939)	MITES: <i>Analges</i> sp.
	<i>Myrsidea struthidea</i> Thompson, 1939	<i>Androlaelaps casalis</i> (Berlese, 1887)
	<i>Corcorides biocellatus</i> Mey, 2004	<i>Dermanyssus gallinae</i> (De Geer, 1778)
MITES:	<i>Eutrombicula sarcina</i> (Womersley, 1944)	<i>Mesalges</i> sp.
	<i>Leptotrombidium nissani</i> (Dumbleton, 1947)	<i>Ornithonyssus bursa</i> (Berlese, 1888)
	<i>Neoschoengastia posekanyi</i> Wharton & Hardcastle, 1946	<i>Ornithonyssus sylvicarum</i> (Canestrini & Fanzago, 1877)
	<i>Neoschoengastia americana</i> (Hirst, 1921)	<i>Proctophyllodes truncatus</i> Robin, 1877
	<i>Odontacarus adelaideae</i> (Womersley, 1944)	<i>Ptilonyssus hirsti</i> (de Castro & Pereira, 1947)
	<i>Ornithonyssus bursa</i> (Berlese, 1888)	<i>Haemaphysalis longicornis</i> Neumann, 1901
	<i>Ptilonyssus struthideae</i> Domrow, 1969	
	<i>Ruandonyssus terpsiphonei</i> Fain, 1957	
Family PTILONORHYNCHIDAE		
Ailuroedus crassirostris		
MITES:	<i>Neoschoengastia posekanyi</i> Wharton & Hardcastle, 1946	MITES: <i>Neocnemidocoptes australiensis</i> Fain & Lukoschus, 1979
	<i>Ptilonyssus ailuroedi</i> Domrow, 1964	<i>Pellonyssus reedi</i> (Zumpt & Patterson, 1952)
Sericulus chrysoccephalus		<i>Ptilonyssus astridae</i> Fain, 1956
LICE:	<i>Brueelia hectica</i> (Nitzsch [in Giebel], 1866)	? <i>Ptilonyssus conopophilae</i> Fain & Lukoschus, 1979
MITES:	<i>Proteroixrix paradisiaca</i> (Trouessart, 1885)	<i>Ptilonyssus motacillae</i> Fain, 1956
Ptilonorhynchus violaceus		<i>Sternostoma</i> sp.
LICE:	<i>Myrsidea ptilonorhynchi</i> (Ponton, 1871)	Taeniopygia bichenovii
	<i>Philopterus grandiceps</i> (Giebel, 1874)	MITES: <i>Pellonyssus reedi</i> (Zumpt & Patterson, 1952)
	<i>Picicola nitzschii</i> (Ponton, 1871)	<i>Ptilonyssus emberizae</i> Fain, 1956
Chlamydera nuchalis		Poephila acuticauda
MITES:	<i>Ptilonyssus sphcoetheris</i> Domrow, 1964	MITES: <i>Bakericheyla chanayi</i> (Berlese & Trouessart, 1889)
Family TURNAGRIDAE		
Turnagra capensis		
LICE:	<i>Brueelia</i> sp.	<i>Kytonyssus andrei</i> Fain, 1960
Family CALLAEIDAE		<i>Pellonyssus reedi</i> (Zumpt & Patterson, 1952)
Callaeas cinerea		<i>Ptilonyssus astridae</i> Fain, 1956
Callaeas cinerea wilsoni , <i>Callaeas cinerea</i>		<i>Ptilonyssus neochmiae</i> Domrow, 1969
LICE:	<i>Brueelia</i> sp.	<i>Sternostoma paddae</i> Fain, 1958
	<i>Philopterus novazealandiae</i> Palma & Price, 2000	Poephila personata
MITES:	<i>Mesalges diaphanoxus</i> Bonnet, 1924	MITES: <i>Kytonyssus amandavae</i> Fain & Bafort, 1964
Philesturnus carunculatus		<i>Ptilonyssus astridae</i> Fain, 1956
LOUSE-FLIES:	<i>Ornithomya variegata</i> Bigot, 1885	<i>Sternostoma paddae</i> Fain, 1958
Philesturnus carunculatus carunculatus		<i>Sternostoma tracheacolum</i> Lawrence, 1948
LICE:	<i>Brueelia</i> sp.	Neochmia phaeton
	<i>Philesturnus carunculatus rufusater</i>	MITES: <i>Ptilonyssus neochmiae</i> Domrow, 1969
LICE:	<i>Brueelia</i> sp.	Neochmia temporalis
MITES:	<i>Ornithonyssus bursa</i> (Berlese, 1888)	MITES: <i>Pellonyssus reedi</i> (Zumpt & Patterson, 1952)
Heteralocha acutirostris		Stagonopleura bella
LICE:	<i>Radicola (Huiacola) extinctus</i> (Mey, 1990)	LICE: <i>Myrsidea</i> sp.
Family ALAUDIDAE		
Mirafra javanica		<i>Brueelia</i> sp.
MITES:	<i>Ptilonyssus capitatus</i> (Strandtmann, 1956)	Lonchura punctulata
Alauda arvensis		MITES: <i>Ptilonyssus motacillae</i> Fain, 1956
LICE:	<i>Menacanthus alaudae</i> (Schrank, 1776)	Lonchura castaneothorax
	<i>Brueelia</i> sp.	MITES: <i>Ornithocheyletia lonchurae</i> Smiley, 1984
	<i>Philopterus</i> sp.	<i>Pellonyssus reedi</i> (Zumpt & Patterson, 1952)
MITES:	<i>Analges</i> sp.	<i>Ptilonyssus astridae</i> Fain, 1956
	<i>Proctophyllodes</i> (? <i>anthi</i>) Vitzhum, 1922	Heteromunia pectoralis
	<i>Pterodectes</i> sp. *	MITES: <i>Ptilonyssus emberizae</i> Fain, 1956
TICKS:	<i>Haemaphysalis longicornis</i> Neumann, 1901	<i>Sternostoma tracheacolum</i> Lawrence, 1948
Family PRUNELLIDAE		Erythrura gouldiae
Prunella modularis		LICE: <i>Machaerilaemus latifrons</i> Harrison, 1915
LICE:	<i>Philopterus</i> sp.	MITES: <i>Androlaelaps casalis</i> (Berlese, 1887)
FLEAS:	<i>Ceratophyllus gallinae</i> (Schrank, 1803)	<i>Bakericheyla chanayi</i> (Berlese & Trouessart, 1889)
	<i>Parapsyllus struthophilus</i> Smit, 1979	<i>Eulaelaps oudeansi</i> Turk, 1945
LOUSE-FLIES:	<i>Ornithomya variegata</i> Bigot, 1885	<i>Ptilonyssus neochmiae</i> Domrow, 1992 p.1605
MITES:	<i>Analges</i> sp.	<i>Sternostoma paddae</i> Fain, 1958
	<i>Ornithonyssus bursa</i> (Berlese, 1888)	<i>Sternostoma tracheacolum</i> Lawrence, 1948
	<i>Proctophyllodes</i> sp.	
Family PASSERIDAE		
Passer domesticus		
LICE:	<i>Menacanthus eurysternus</i> (Burmeister, 1838)	Family FRINGILLIDAE
	<i>Brueelia cyclothorax</i> (Burmeister, 1838)	Fringilla coelebs
FLEAS:		FLEAS: <i>Ceratophyllus gallinae</i> (Schrank, 1803)
		LOUSE-FLIES: <i>Ornithomya variegata</i> Bigot, 1885
		MITES: <i>Analges</i> sp.
		<i>Monojoubertia microphylla</i> (Robin, 1877)
		<i>Pteronyssoides</i> sp.*
		Carduelis chloris chloris
		LICE: <i>Myrsidea serini</i> (Séguy, 1944)
		<i>Brueelia</i> sp.
		FLEAS: <i>Ceratophyllus gallinae</i> (Schrank, 1803)

* Closest to genus

- MITES:** *Analges* sp.
Knemidokoptes jamaicensis (Turk, 1950)
Megrimia sp.
Mesalges sp.
Proctophyllodes sp.
- Carduelis carduelis carduelis**
- LICE:** *Myrsidea serini* (Séguy, 1944)
Brueelia sp.
- LOUSE-FLIES:** *Ornithomya variegata* Bigot, 1885
MITES: *Knemidokoptes jamaicensis* (Turk, 1950)
- Carduelis flammearia**
- MITES:** *Ornithonyssus sylviarum* (Canestrini & Fanzago, 1877)
- Family MOTACILLIDAE**
- Anthus novaeseelandiae**
- LICE:** *Menacanthus pusillus* (Nitzsch, 1866)
Penenirmus sp.
Philopterus sp.
- MITES:** *Ptilonyssus motacillae* Fain, 1956
- Anthus novaeseelandiae novaeseelandiae, Anthus novaeseelandiae steindachneri**
- LICE:** *Menacanthus eurysternus* (Burmeister, 1838)
Myrsidea sp.
Philopterus sp.
- MITES:** *Proctophyllodes* (?*anthi*) Vitzhum, 1922
- Family EMBERIZIDAE**
- Emberiza citrinella**
- LICE:** *Myrsidea serini* (Séguy, 1944)
Brueelia delicata (Nitzsch, 1866)
- LOUSE-FLIES:** *Ornithomya avicularia* (Linnaeus, 1758)
Ornithomya variegata Bigot, 1885
- MITES:** *Analges* sp.
Proctophyllodes sp.
Ptilonyssus emberizae Fain, 1956
- Family NECTARINIIDAE**
- Nectarinia jugularis**
- MITES:** *Ptilonyssus cinnyris* Zumpt & Till, 1955
- Family DICAEIDAE**
- Dicaeum hirundinaceum**
- MITES:** *Monojoubertia parvisecurigera* Atyeo, 1971
Monojoubertia securigera Atyeo, 1971
Ptilonyssus dicaei Domrow, 1966
- Family HIRUNDINIDAE**
- Cheramoeca leucosternus**
- FLEAS:** *Echidnophaga gallinacea* (Westwood, 1875)
MITES: *Mesolaelaps australiensis* (Hirst, 1926)
- Hirundo rustica**
- LICE:** *Myrsidea rustica* (Giebel, 1874)
Philopterus excisus microsomaticus Tandan, 1955
- Hirundo neoxena**
- LICE:** *Myrsidea rustica* (Giebel, 1874)
Brueelia tenuis (Burmeister, 1838)
Philopterus excisus microsomaticus Tandan, 1955
- LOUSE-FLIES:** *Ornithomya greeni* Maa, 1986
Ornithomya nigricornis Erichson, 1842
- MITES:** *Boydala hirundoae* Fain, 1956
Ornithonyssus sylviarum (Canestrini & Fanzago, 1877)
Pteronyssus sp. [NZ record]
Ptilonyssus angrensis (de Castro, 1948)
Ptilonyssus echinatus Berlese & Trouessart, 1889
- Hirundo nigricans**
- LICE:** *Machaerilaemus malleus* (Burmeister, 1838)
MITES: *Ptilonyssus echinatus* Berlese & Trouessart, 1889
TICKS: *Ixodes* sp. (N)
- Hirundo ariel**
- MITES:** *Boydala hirundoae* Fain, 1956
Cheletonella vespertilionis Womersley, 1941
Ornithonyssus bursa (Berlese, 1888)
Ornithonyssus sylviarum (Canestrini & Fanzago, 1877)
Ptilonyssus echinatus Berlese & Trouessart, 1889
TICKS: *Argas lagenoplastis* Froggatt, 1906
- Family SYLVIIDAE**
- Acrocephalus australis**
- MITES:** *Ptilonyssus acrocephali* Fain, 1964
- Megalurus gramineus**
- MITES:** *Ornithonyssus sylviarum* (Canestrini & Fanzago, 1877)
- Bowdleria punctata**
- LICE:** *Penenirmus* sp.
FLEAS: *Notiopsylla peregrinus* Smit, 1979
Pagipsylla galliralli (Smit, 1965)
Parapsyllus lynnae lynnae Smit, 1965
- Cincloramphus mathewsi**
- MITES:** *Ptilonyssus bradypteri* (Fain, 1962)
- Cincloramphus cruralis**
- LICE:** *Brueelia* sp.
- Family ZOSTEROPIDAE**
- Zosterops lateralis**
- LICE:** *Menacanthus eurysternus* (Burmeister, 1838)
- FLEAS:** *Ceratophyllus gallinae* (Schrank, 1803)
Pagipsylla galliralli (Smit, 1965)
- LOUSE-FLIES:** *Ornithomya areolata* Maa, 1986
Ornithomya nigricornis Erichson, 1842
Ornithomya variegata Bigot, 1885
- MITES:** *Boydala zosteropis* Fain, 1963
Calcealges (?*yunkeri*) Gaud, 1962
Ornithonyssus bursa (Berlese, 1888)
Ptilonyssus ruandae Fain, 1956
Sternostoma cuculorum Fain, 1956
Trouessartia megadisca Gaud, 1962
Trouessartia sp.
- Family MUSCICAPIDAE**
- Zoothera lunulata**
- LICE:** *Myrsidea* sp.
Brueelia dauma (Clay, 1936)
Philopterus sp.**
- FLEAS:** *Hoogstraalia vandiemeni* Smit, 1958
MITES: *Sternostoma dureni* Fain, 1956
Sternostoma technau Vitzhum, 1935
- Turdus merula merula**
- LICE:** *Menacanthus eurysternus* (Burmeister, 1838)
Myrsidea thoracica (Giebel, 1874)
Brueelia merulensis (Denny, 1842)
Brueelia amsel (Eichler, 1951)
Philopterus turdi (Denny, 1842)
Ceratophyllus gallinae (Schrank, 1803)
Pagipsylla galliralli (Smit, 1965)
Parapsyllus struthophilus Smit 1979
- LOUSE-FLIES:** *Ornithoica stipituri stipituri* (Schiner, 1868)
Ornithomya nigricornis Erichson, 1842
- MITES:** *Analges* sp.
Androlaelaps casalis (Berlese, 1887)
Ornithonyssus bursa (Berlese, 1888)
Ornithonyssus sylviarum (Canestrini & Fanzago, 1877)***
Proctophyllodes sp.
Ptilonyssus euroturi Fain & Hyland, 1963
- Turdus philomelos**
- LICE:** *Menacanthus eurysternus* (Burmeister, 1838)
Brueelia turdiniae Ansari, 1956
Philopterus turdi (Denny, 1842)
- FLEAS:** *Ceratophyllus gallinae* (Schrank, 1803)
- LOUSE-FLIES:** *Ornithomya variegata* Bigot, 1885
- MITES:** *Analges* sp.
Ornithonyssus bursa (Berlese, 1888)
Ptilonyssus euroturi Fain & Hyland, 1963
- Family STURNIDAE**
- Aplonis metallica**
- MITES:** *Ptilonyssus sturnopastoris* Fain, 1963

** The host species was reported as *Zoothera lunulata* in 1969 and later *Z. dauma* in 1992. They were collected from Wilsons Peak, NSW.

*** The original report of an intranasal habitat was withdrawn (Hogsette et al. 1991). This mite usually visits the host in the nest to obtain a blood meal.

Sturnus vulgaris		Pteronyssoides truncatus (Trouessart, 1885)
LICE:	<i>Menacanthus eurysternus</i> (Burmeister, 1838)	<i>Trouessartia rosteri</i> (Berlese, 1883)
	<i>Brueelia nebulosa</i> (Burmeister, 1838)	<i>Ixodes</i> sp. (N)
	<i>Sturnidoecus sturni</i> (Schrank, 1776)	
FLEAS:	<i>Ceratophyllus gallinae</i> (Schrank, 1803)	Acridootheres tristis
LOUSE-FIERS:	<i>Ornithomya nigricornis</i> Erichson, 1842	LICE: <i>Menacanthus eurysternus</i> (Burmeister, 1838)
MITES:	<i>Analgopsis passerinus</i> (Linnaeus, 1758)	MITES: <i>Sturnidoecus</i> sp.
	<i>Boydaea sturni</i> (Boyd, 1948)	<i>Analges</i> sp.
	<i>Dermanyssus gallinae</i> (De Geer, 1778)	<i>Analgopsis</i> (? <i>passerinus</i>) (Linnaeus, 1758)
	<i>Ornithonyssus bursa</i> (Berlese, 1888)	<i>Ornithonyssus sylviarum</i> (Canestrini & Fanzago, 1877)
	<i>Ornithonyssus sylviarum</i> (Canestrini & Fanzago, 1877)	<i>Proctophyllodes</i> sp.
	<i>Proctophyllodes</i> sp.	Pteronyssoides (? <i>truncatus</i>) (Trouessart, 1885)
		<i>Trouessartia</i> (? <i>rosteri</i>) (Berlese, 1883)

Table 1. Genera of lice associated with families of birds.

SUB-ORDERS AND GENERA OF LICE		
	Amblycera	Ischnocera
Passeriformes		
Acanthisittidae	<i>Menacanthus</i>	<i>Picicola</i>
Pittidae	<i>Menacanthus</i>	<i>Brueelia</i>
Menuridae	<i>Myrsidea</i>	<i>Brueelia, Philopterus</i>
Maluridae	<i>Menacanthus, Myrsidea, Ricinus</i>	<i>Brueelia, Philopterus</i>
Meliphagidae	<i>Menacanthus, Myrsidea, Ricinus</i>	<i>Philopterus</i>
Pardalotidae	<i>Menacanthus, Myrsidea, Ricinus</i>	<i>Brueelia, Philopterus</i>
Petroicidae	<i>Menacanthus, Ricinus</i>	<i>Brueelia, Philopterus</i>
Pomatostomidae		<i>Brueelia</i>
Cinclosomatidae		<i>Brueelia, Philopterus</i>
Pachycephalidae	<i>Menacanthus, Myrsidea</i>	<i>Brueelia, Philopterus</i>
Dicruridae	<i>Menacanthus, Myrsidea, Ricinus</i>	<i>Brueelia, Philopterus</i>
Campephagidae	<i>Myrsidea</i>	<i>Brueelia, Philopterus</i>
Oriolidae		<i>Columbicola</i>
Artamidae	<i>Menacanthus, Myrsidea</i>	<i>Australophilopterus, Brueelia, Picicola</i>
Paradisaeidae	<i>Myrsidea</i>	
Corvidae	<i>Colpocephalum, Menacanthus, Myrsidea</i>	<i>Brueelia, Philopterus</i>
Corcoracidae	<i>Menacanthus, Myrsidea</i>	<i>Brueelia, Corcorides, Paraphilopterus</i>
Ptilonorhynchidae	<i>Myrsidea</i>	<i>Brueelia, Philopterus, Picicola</i>
Turnagridae		<i>Brueelia</i>
Callaeidae		<i>Brueelia, Philopterus, Rallicola</i>
Alaudidae		<i>Brueelia, Philopterus</i>
Prunellidae		<i>Philopterus</i>
Passeridae	<i>Menacanthus</i>	<i>Brueelia</i>
Estrildidae	<i>Menacanthus</i>	<i>Brueelia</i>
Fringillidae	<i>Machaerilaemus, Myrsidea</i>	<i>Brueelia</i>
Motacillidae	<i>Menacanthus, Myrsidea</i>	<i>Penenirmus, Philopterus</i>
Emberizidae	<i>Myrsidea</i>	<i>Brueelia</i>
Hirundinidae	<i>Machaerilaemus, Myrsidea</i>	<i>Brueelia, Philopterus</i>
Sylviidae		<i>Brueelia, Penenirmus</i>
Zosteropidae	<i>Menacanthus</i>	<i>Brueelia, Philopterus</i>
Muscicapidae	<i>Menacanthus, Myrsidea</i>	
Sturnidae	<i>Menacanthus</i>	<i>Brueelia, Sturnidoecus</i>

ADDENDUM: APPENDIX II – Volume 3

ECTOPARASITES OF AUSTRALIAN, NEW ZEALAND AND ANTARCTIC BIRDS
M.D. Murray^A, R.L. Palma^B and R.L.C. Pilgrim^C

INTRODUCTION

This checklist covers the ectoparasites of birds described in Volume 3 of HANZAB. It was not published in Volume 3 owing to lack of space. For completeness, we have included new ectoparasite records and other nomenclatorial novelties published since the publication of Volume 3.

SELECTED BIBLIOGRAPHY

LICE

- Green, R.H., & R.L. Palma. 1991. Rec. Queen Vict. Mus. 100: 1–43.
 Palma, R.L. 1999. *Notornis* 46: 373–87.
 —— 2000. *NZ J. Zool.* 27(2): 121–8.
 ——, & S.C. Barker. 1996. *Zool. Cat. Aust.* 26: 81–247.
 Pilgrim, R.L.C., & R.L. Palma. 1982. *Notornis* (Suppl.) 29: 32.
 Price, R.D., et al. 2000. *J. Parasitol.* 86(5): 948–50.
 Stranger, R.H., & R.L. Palma. 1998. *Rec. West. Aust. Mus.* 19: 169–86.

^A 17 Ashmore Ave, Pymble, New South Wales 2073, Australia

^B Museum of New Zealand, PO Box 467, Wellington, New Zealand

^C Department of Zoology, University of Canterbury, Christchurch 1, New Zealand

FLEAS

- Calder, A.A. 1996. *Zool. Cat. Aust.* 28: 136–97.
 Dunnet, G.M., & D.K. Mardon. 1974. *Aust. J. Zool. Suppl. Ser.* 30: 273.
 Smit, F.G.A.M. 1979. *J. R. Soc. NZ* 9: 143–232.
 —— 1987. *An Illustrated Catalogue of the Rothschild Collection of Fleas (Siphonaptera) in the British Museum (Natural History).* VII. *Brit. Mus. Nat. Hist.*, London.

LOUSE-FLIES

- Maa, T.C. 1966. *Pac. Insects Monogr.* 10: 1–148.
 —— 1969. *Pac. Insects Monogr.* 20: 1–312.
 —— 1986. *J. Taiwan Mus.* 39: 83–92.

TICKS

- Dumbleton, L.J. 1961. *NZ J. Sci.* 4: 760–9.
 —— 1963. *Tuatara* 11: 72–8.
 Heath, A.C.G. 1977. *Tuatara* 23: 26–39.
 Keirans, J.E. 1984. *U.S. Dept Agric. Misc. Publ.* 1438: 1785.
 Kaiser, M., & H. Hoogstraal. 1974. *Ann. Ent. Soc. Amer.* 67: 5–10.
 ——, —— 1975. *Ann. Ent. Soc. Amer.* 68: 585–90.
 Roberts, F.H.S. 1970. *Australian Ticks.* CSIRO Pubs, Melbourne.

CHECKLIST OF ECTOPARASITES

Family SCOLOPACIDAE

Coenocorypha pusilla

- LICE: *Quadraceps coenocoryphae* Timmermann, 1955
 FLEAS: *Parapsyllus longicornis* (Enderlein, 1901)
Parapsyllus lynnae mariae Smit, 1979

Coenocorypha aucklandica huegeli

- LICE: *Quadraceps coenocoryphae* Timmermann, 1955
 FLEAS: *Parapsyllus lynnae lynnae* Smit, 1965

Coenocorypha aucklandica meinertzhagenae

- LICE: *Austromenopon* sp.
 FLEAS: *Pagipsylla gallinalli* (Smit, 1965)
Parapsyllus cardinis Dunnet, 1961

Coenocorypha aucklandica aucklandica

- LICE: *Austromenopon* sp.
 FLEAS: *Quadraceps coenocoryphae* Timmermann, 1955

Limosa limosa

- LICE: *Actornithophilus spinulosus* (Piaget, 1880)
Austromenopon limosae Timmermann, 1954
Carduiceps cingulatus (Denny, 1842)
Lunaceps limosella Timmermann, 1954
Saemundssonia (Saemundssonia) thompsoni Timmermann, 1951

Limosa lapponica

- LICE: *Actornithophilus limosae* (Kellogg, 1908)
Austromenopon meyeri (Giebel, 1874)
Carduiceps cingulatus (Denny, 1842)
Lunaceps limosella Timmermann, 1954
Saemundssonia (Saemundssonia) limosae (Denny, 1842)

Numenius phaeopus

- LICE: *Austromenopon phaeopodis* (Schrank, 1802)
Lunaceps numenii oliveri (Johnston & Harrison, 1912)
Saemundssonia (Saemundssonia) scolopacisphaeopodis
scolopacisphaeopodis (Schrank, 1803)

Numenius madagascariensis

- LICE: *Lunaceps numenii numenii* (Denny, 1842)

Arenaria interpres

- LICE: *Actornithophilus bicolor* (Piaget, 1880)
Actornithophilus pediculoides (Mjöberg, 1910)
Austromenopon lutescens (Burmeister, 1838)
Quadraceps strepsilaris (Denny, 1842)

Calidris tenuirostris

- LICE: *Actornithophilus* sp.
Lunaceps drosti Timmermann, 1954
Saemundssonia (Saemundssonia) tringae sibiriae Martens, 1974

Calidris canutus

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Austromenopon lutescens (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps drosti Timmermann, 1954
Saemundssonia (Saemundssonia) tringae tringae (O. Fabricius, 1780)

Calidris alba

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps actophilus (Kellogg & Chapman, 1899)

Calidris ruficollis

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps sp.
Saemundssonia (Saemundssonia) tringae tringae (O. Fabricius, 1780)

Calidris melanotos

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)

Calidris acuminata

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Carduiceps zonarius (Nitzsch [in Giebel], 1866)
Lunaceps sp.

Calidris ferruginea

- LICE: *Actornithophilus umbrinus* (Burmeister, 1838)
Lunaceps incognitus (Kellogg & Chapman, 1899)

Family GLAREOLIDAE

Glareola maldivarum

- LICE: *Actornithophilus* sp.
Austromenopon sp.
Quadraceps ellipticus (Nitzsch [in Giebel], 1866)

Family LARIDAE

Catharacta skua lonnbergi

- LICE: *Austromenopon fuscofasciatum* (Piaget, 1880)
Haffneria grandis (Piaget, 1880)

	Saemundssonia (Saemundssonia) euryrhyncha (Giebel, 1874)
FLEAS:	Parapsyllus heardi de Meillon, 1952
Catharacta maccormicki	
LICE:	Austromenopon fuscofasciatum (Piaget, 1880) Haffneria grandis (Piaget, 1880) Quadraceps alpha (Kellogg, 1914) Saemundssonia (Saemundssonia) euryrhyncha (Giebel, 1874)
Stercorarius parasiticus	
LICE:	Austromenopon fuscofasciatum (Piaget, 1880) Haffneria grandis (Piaget, 1880) Quadraceps normifer normifer (Grube, 1851) Saemundssonia (Saemundssonia) cephalus (Denny, 1842)
Stercorarius longicaudus	
LICE:	Austromenopon fuscofasciatum (Piaget, 1880) Quadraceps normifer parvopalidus (Eichler, 1951) Saemundssonia (Saemundssonia) inexpectata Timmermann, 1951
Larus pacificus	
LICE:	Quadraceps punctatus ventosus Timmermann, 1952 Saemundssonia (Saemundssonia) lari (O. Fabricius, 1780)
Larus dominicanus	
LICE:	Actornithophilus piceus lari (Packard, 1870) Austromenopon transversum (Denny, 1842) Quadraceps ornatus fuscolaminulatus (Enderlein, 1908) Quadraceps punctatus (Burmeister, 1838) sensu lato Saemundssonia (Saemundssonia) lari (O. Fabricius, 1780)
FLEAS:	Notiopsylla kerguelensis kerguelensis (Taschenberg, 1880) Parapsyllus longicornis (Enderlein, 1901) Parapsyllus nestoris nestoris Smit, 1965
TICKS:	Ixodes eudyptidis Maskell, 1885
Larus novaehollandiae novaehollandiae	
LICE:	Actornithophilus piceus lari (Packard, 1870) Austromenopon transversum (Denny, 1842) Quadraceps punctatus lingulatus (Waterston, 1914) Saemundssonia (Saemundssonia) lari (O. Fabricius, 1780)
FLEAS:	Parapsyllus australiacus Rothschild, 1909
TICKS:	Ixodes eudyptidis Maskell, 1885
Larus novaehollandiae scopulinus	
LICE:	Actornithophilus piceus lari (Packard, 1870) Austromenopon transversum (Denny, 1842) Quadraceps punctatus lingulatus (Waterston, 1914) Saemundssonia (Saemundssonia) lari (O. Fabricius, 1780)
FLEAS:	Parapsyllus longicornis (Enderlein, 1901) Parapsyllus magellanicus magellanicus Jordan, 1938
TICKS:	Ixodes eudyptidis Maskell, 1885 Ornithodoros capensis Neumann, 1901
Larus bulleri	
LICE:	Austromenopon transversum (Denny, 1842) Quadraceps punctatus (Burmeister, 1838) sensu lato Saemundssonia (Saemundssonia) lari (O. Fabricius, 1780)
Sterna caspia	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps caspius (Giebel, 1874)
Sterna bengalensis	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps sellatus (Burmeister, 1838) Saemundssonia (Saemundssonia) laticaudata (Rudow, 1869)
Sterna bergii	
LICE:	Actornithophilus piceus piceus (Denny, 1842) Austromenopon atrofulvum (Piaget, 1880) Quadraceps sellatus (Burmeister, 1838) Saemundssonia (Saemundssonia) laticaudata (Rudow, 1869)
Sterna bergii cristata	
LICE:	Actornithophilus piceus piceus (Denny, 1842)
Sterna striata	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps sellatus (Burmeister, 1838) Saemundssonia (Saemundssonia) sternae (Linnaeus, 1758)
	Sterna hirundo
LICE:	Quadraceps sellatus (Burmeister, 1838)
Sterna paradisea	
LICE:	Quadraceps houri Hopkins, 1949 Saemundssonia (Saemundssonia) lockleyi Clay, 1949
Sterna vittata	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps houri Hopkins, 1949 Quadraceps sellatus (Burmeister, 1838) Saemundssonia (Saemundssonia) lockleyi Clay, 1949
Sterna albostriata	
LICE:	Quadraceps sp.
Sterna albifrons	
LICE:	Quadraceps nycthemerus (Burmeister, 1838) Saemundssonia (Saemundssonia) melanocephalus (Burmeister, 1838)
Sterna nereis	
LICE:	Quadraceps nycthemerus (Burmeister, 1838) Saemundssonia (Saemundssonia) melanocephalus (Burmeister, 1838)
TICKS:	Ixodes kohlsi Arthur, 1955
Sterna anaethetus	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps legatus Timmermann, 1952 Saemundssonia (Saemundssonia) meridiana Timmermann, 1950 Saemundssonia (Saemundssonia) lockleyi Clay, 1949
Sterna fuscata	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps birostris (Giebel, 1874) Saemundssonia (Saemundssonia) albemarlensis (Kellogg & Kuwana, 1902)
TICKS:	Amblyomma loculosum Neumann, 1907 Ornithodoros capensis Neumann, 1901
Chlidonias hybridus	
LICE:	Austromenopon atrofulvum (Piaget, 1880) Quadraceps anagrapsum (Nitzsch [in Giebel], 1866) Saemundssonia (Saemundssonia) lobaticeps lobaticeps (Giebel, 1874)
Chlidonias leucopterus	
LICE:	Austromenopon atrofulvum (Piaget, 1880)
Anous stolidus	
LICE:	Actornithophilus incisus (Piaget, 1880) Quadraceps separatus (Kellogg & Kuwana, 1902)
Anous minutus	
LICE:	Actornithophilus ceruleus (Timmermann, 1954) Austromenopon atrofulvum (Piaget, 1880) Quadraceps hopkinsi hopkinsi Timmermann, 1952 Saemundssonia (Saemundssonia) lobaticeps remota Timmermann, 1951
TICKS:	Amblyomma loculosum Neumann, 1907 Ornithodoros capensis Neumann, 1901
Anous tenuirostris	
LICE:	Actornithophilus ceruleus (Timmermann, 1954) Quadraceps hopkinsi hopkinsi Timmermann, 1952
Procelsterna cerulea albivitta	
LICE:	Actornithophilus ceruleus (Timmermann, 1954) Austromenopon atrofulvum (Piaget, 1880) Quadraceps hopkinsi apophoretus Timmermann, 1969
Gygis alba	
LICE:	Saemundssonia (Saemundssonia) sp.
Family COLUMBIDAE	
Columba livia	
LICE:	Bonomiella columbae Emerson, 1957 Campanulotes bidentatus compar (Burmeister, 1838) Coloceras damicorne (Nitzsch, 1866) Colpocephalum turbinatum Denny, 1842 Columbicola columbae (Linnaeus, 1758) Hohorstiella lata (Piaget, 1880)
FLEAS:	Echidnophaga gallinacea (Westwood, 1875)
TICKS:	Argas persicus group
Streptopelia senegalensis	
LICE:	Coloceras piageti (Johnston & Harrison, 1912)
Streptopelia chinensis chinensis	
LICE:	Coloceras chinense (Kellogg & Chapman, 1902)

Streptopelia chinensis tigrina	Ocyphaps lophotes
LICE: <i>Coloceras chinense</i> (Kellogg & Chapman, 1902)	LICE: <i>Campanulotes durdeni</i> Price, Clayton & Adams, 2000
<i>Coloceras piagetii</i> (Johnston & Harrison, 1912)	<i>Coloceras</i> sp.
<i>Colpocephalum longicaudum</i>	<i>Columbicola mckeani</i> Tendeiro, 1973
Nitzsch [in Giebel], 1866	FLEAS: <i>Echidnophaga gallinacea</i> (Westwood, 1875)
Phaps chalcoptera	Geophaps plumifera
LICE: <i>Campanulotes flavus</i> (Rudow, 1869)	LICE: <i>Coloceras</i> sp.
<i>Coloceras grande</i> Tendeiro, 1973	<i>Columbicola</i> sp.
<i>Columbicola angustus</i> (Rudow, 1869)	Ptilinopus magnificus magnificus , <i>Ptilinopus magnificus assimilis</i>
<i>Physconelloides strangeri</i> Tendeiro, 1980	LICE: <i>Columbicola harrisoni</i> Tendeiro, 1965
LOUSE-FLIES: <i>Ornithomya nigricornis</i> Erichson, 1842	Lopholaimus antarcticus
Phaps chalcoptera chalcoptera	LICE: <i>Coloceras furcatum</i> (Kéler, 1939)
LICE: <i>Columbicola tasmaniensis</i> Tendeiro, 1967	Hemiphaga novaeseelandiae novaeseelandiae
<i>Physconelloides australiensis</i> Tendeiro, 1969	LICE: <i>Hohorstiella</i> sp.
Phaps elegans	<i>Coloceras novaeseelandiae</i> (Tendeiro, 1972)
LICE: <i>Campanulotes elegans</i> (Tendeiro, 1978)	Hemiphaga novaeseelandiae chathamensis
<i>Coloceras</i> sp.	LICE: <i>Coloceras harrisoni</i> (Tendeiro, 1972)
<i>Columbicola tasmaniensis</i> Tendeiro, 1967	Hemiphaga novaeseelandiae spadicea
<i>Physconelloides australiensis</i> Tendeiro, 1969	LICE: <i>Coloceras hemiphagae</i> (Tendeiro, 1972)
LOUSE-FLIES: <i>Ornithomya nigricornis</i> Erichson, 1842	<i>Coloceras restinctum</i> (Tendeiro, 1972)

Table 1. Genera of lice associated with families of birds.

SUB-ORDERS AND GENERA OF LICE		
	Amblycera	Ischnocera
Charadriiformes		
Jacanidae		<i>Rallicola</i> , <i>Saemundssonia</i>
Chionidiidae		<i>Quadraceps</i> , <i>Saemundssonia</i>
Haematopodidae		<i>Quadraceps</i> , <i>Saemundssonia</i>
Recurvirostridae		<i>Quadraceps</i> , <i>Saemundssonia</i>
Charadriidae		<i>Quadraceps</i> , <i>Saemundssonia</i>
Scolopacidae		<i>Quadraceps</i> , <i>Saemundssonia</i>
Tringinae	<i>Actornithophilus</i>	<i>Carduiceps</i> , <i>Lunaceps</i> , <i>Saemundssonia</i>
Arenariinae	<i>Actornithophilus</i>	<i>Quadraceps</i>
Calidrininae	<i>Actornithophilus</i>	<i>Carduiceps</i> , <i>Lunaceps</i> , <i>Saemundssonia</i>
Glareolidae	<i>Actornithophilus</i>	<i>Quadraceps</i>
Laridae	<i>Actornithophilus</i> , <i>Austromenopon</i>	<i>Haffneria</i> , <i>Quadraceps</i> , <i>Saemundssonia</i>
Columbiformes	<i>Actornithophilus</i> , <i>Austromenopon</i>	
Columbidae	<i>Bonomiella</i> , <i>Colpocephalum</i> , <i>Hohorstiella</i>	<i>Campanulotes</i> , <i>Coloceras</i> , <i>Columbicola</i> , <i>Physconelloides</i>